

Product data sheet

Characteristics

QGA222254

Circuit breaker, PowerPact Q, I-Line, thermal magnetic, 225A, 2 pole, 65 kA@240 VAC, phase BC



Price*: 1593.00 USD



Main

| | |
|---------------------------|-----------------|
| Product or component type | Circuit breaker |
|---------------------------|-----------------|

Complementary

| | |
|---------------------------|--|
| Line Rated Current | 225 A |
| Breaking capacity code | G |
| Magnetic hold current | 1200 A |
| Trip unit technology | Thermal-magnetic |
| Magnetic tripping current | 2400 A |
| Tightening torque | 247.82 Lbf.In (28 N.m) 0.04...0.16 in ² (25...100 mm ²) (AWG 4...300 kcmil) |
| Phase connection | BC |
| Height | 6.47 In (164.34 mm) |
| Width | 4.5 In (114.30 mm) |
| Depth | 3.93 In (99.82 mm) |
| Continuous current rating | 80 % |

Ordering and shipping details

| | |
|---------------------|---------------------------|
| Category | 01023-Q2 BREAKER & SWITCH |
| Discount Schedule | DE2 |
| GTIN | 00785901789475 |
| Package weight(Lbs) | 4.65 Lb(US) (2.110 kg) |
| Returnability | Yes |
| Country of origin | MX |

Offer Sustainability

| | |
|-----------------------------|--|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: DIN-P, which is known to the State of California to cause cancer, and DID-P, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS Declaration |
| Environmental Disclosure | Product Environmental Profile |
| PVC free | Yes |
| Halogen content performance | Halogen free product |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Product Life Status : **Commercialised**