

Product data sheet

Characteristics

QO2225SL

Mini circuit breaker accessory, QO, lug kit, 225A, 2 pole, 2 spaces, subfeed



Product availability: Stock - Normally stocked in distribution facility

Price*: 308.00 USD



Main

Product or component type	Lug kit
Range of product	QO
Line Rated Current	225 A
Number of spaces	4
Phase	2 phases
[Ue] rated operational voltage	120/240 V AC

Complementary

Number of poles	4
AWG gauge	AWG 4...300 kcmil copper or aluminium
Product certifications	CURus
Mounting mode	Plug-in
Height	3.500 In (88.90 mm)
Width	2.988 In (75.90 mm)
Depth	2.310 In (58.67 mm)

Environment

Ambient air temperature for operation	23 °F (-5 °C) 104 °F (40 °C)
---------------------------------------	---------------------------------

Ordering and shipping details

Category	00080 - QO SPECIALTY CB,1&2 POLE
Discount Schedule	DE2A
GTIN	00785901755708
Nbr. of units in pkg.	1
Package weight(Lbs)	2.36 Lb(US) (1.071 kg)
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Package 1 Height	4.60 In (11.684 cm)
Package 1 width	6.80 In (17.272 cm)
Package 1 Length	7.70 In (19.558 cm)


Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	 REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Compliant  EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	 Yes
China RoHS Regulation	 China RoHS Declaration
Environmental Disclosure	 Product Environmental Profile
Halogen content performance	Halogen free product

Contractual warranty

Warranty	18 months
----------	-----------

Approximate Dimensions



Product Life Status : **Commercialised**