

Product data sheet

Specifications



TeSys F - terminal shroud for contactor or relay 3P

LA9F702

Product availability: Stock - Normally stocked in distribution facility

Price*: 73.20 USD

Main

Range	TeSys
Device short name	LA9F
Product or Component Type	Terminal shroud
accessory / separate part category	Protection accessory
Range compatibility	TeSys LR9F electronic thermal overload relay TeSys LC1F contactor TeSys LC2F reversing contactor TeSys CR1F magnetic latching contactor Altistart ATS22 soft starter Altistart ATS48 soft starter
Product Compatibility	LR9F5363, F5367, F5369 LC1F150, F185 ATS22 C11, C14, C17 LC2F150, F185 LR9F5563, F5567, F5569 CR1F150, F185 ATS48 C14, C17 LR9F63, F67, F69
Quantity per Set	Set of 6
poles description	1P

Complementary

mounting location	On power terminal
Net Weight	0.55 lb(US) (0.25 kg)

Ordering and shipping details

Category	US10I1222341
Discount Schedule	0I12
GTIN	3389110120615
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.559 in (6.500 cm)
Package 1 Width	4.724 in (12.000 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	7.283 in (18.500 cm)
Package 1 Weight	7.160 oz (203.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	16
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	7.987 lb(US) (3.623 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	128
Package 3 Height	29.528 in (75.000 cm)
Package 3 Width	23.622 in (60.000 cm)
Package 3 Length	31.496 in (80.000 cm)
Package 3 Weight	88.599 lb(US) (40.188 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
Circularity Profile	End of Life Information
California Proposition 65	"WARNING: This product can expose you to chemicals including: Dichloromethane (Methylene chloride), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov "