

Product data sheet

Specifications



Accessory for XX6, 90° fixing bracket, metallic

XXZ30

Product availability : Stock - Normally stocked in distribution facility

Main

Accessory / separate part designation 90° fixing bracket

Product or Component Type 90° fixing bracket

Accessory / separate part destination Ø 30 mm sensor

Accessory / separate part category Fixing accessories

Accessory / separate part type Bracket

Complementary

Product Compatibility XX6 diameter 30

Material Metal

Ordering and shipping details

Category 22499-SENSORS ACCESSORIES

Discount Schedule DS2

GTIN 3389110704235

Returnability Yes

Country of origin US

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

Package 1 Height 2.05 in (5.200 cm)

Package 1 Width 2.56 in (6.500 cm)

Package 1 Length 2.64 in (6.700 cm)

Package 1 Weight 2.72 oz (77.000 g)

Unit Type of Package 2 S01

Number of Units in Package 2 30

Package 2 Height 5.91 in (15.000 cm)

Package 2 Width 5.91 in (15.000 cm)

Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	5.56 lb(US) (2.522 kg)


Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Diisobutyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information

Contractual warranty

Warranty	18 months
-----------------	-----------

Dimensions



Dimensions in mm

a	b	c	c1	e	H	G	G1	Ø	Ø1
67	65	52	25	3	51	35	33	50	31

Dimensions in in.

a	b	c	c1	e	H	G	G1	Ø	Ø1
2.63	2.56	2.05	0.98	0.12	2.01	1.38	1.30	1.97	1.22

Recommended replacement(s)