

Product data sheet

Characteristics

XZCP29P12L2

Pre wired connectors XZ, straight female, M12, 8 pins, cable PUR 2 m

Product availability: Non-Stock - Not normally stocked in distribution facility

Price*: 25.40 USD



Main

| | |
|------------------------------------|----------------------------------|
| Range of Product | Telemecanique Cabling components |
| Accessory / separate part category | Cabling accessory |
| Accessory / Separate Part Type | Pre-wired connectors |
| Series name | Application |

Complementary

| | |
|--------------------------------|---------------------------------------|
| Electrical connection | Straight female connector M12, 8 pins |
| Cable connector fixing | Screw-on |
| Collar material | Nickel plated brass |
| Status LED | Without |
| Cable length | 6.56 Ft (2 m) |
| Cable outer diameter | 0.25 In (6.4 mm) |
| Cable composition | 8 x 0.34 mm ² |
| Wire insulation material | PUR |
| [Ue] rated operational voltage | 30 V AC 36 V DC |
| Line Rated Current | 2 A |
| Contact resistance | 5000 MOhm |
| Minimum insulating resistance | 1 GΩ |
| Net Weight | 0.22 Lb(US) (0.1 kg) |

Environment

| | |
|-------------------------------------|----------------------------|
| IP Degree of Protection | IP69K IP67 IP65 |
| Ambient Air Temperature for Storage | -40...194 °F (-40...90 °C) |

Ordering and shipping details

| | |
|-----------------------|-----------------------------|
| Category | 22499 - SENSORS ACCESSORIES |
| Discount Schedule | DS2 |
| GTIN | 03389119028318 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 4.44 Oz (126 g) |
| Returnability | No |
| Country of origin | CZ |

Packing Units

| | |
|------------------------------|------------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 1.34 In (3.4 cm) |
| Package 1 width | 6.81 In (17.3 cm) |
| Package 1 Length | 6.97 In (17.7 cm) |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 10 |
| Package 2 Weight | 3.34 Lb(US) (1.516 kg) |
| Package 2 Height | 5.91 In (15 cm) |
| Package 2 width | 11.81 In (30 cm) |
| Package 2 Length | 15.75 In (40 cm) |

Offer Sustainability


| | |
|----------------------------|--|
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Diisodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information | Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Connections and Schemes

Connectors



- GY : Grey
- PK : Pink
- VT : Violet
- BN : Brown
- OG : Orange
- WH : White
- BU : Blue
- BK : Black

| | |
|-----------------------|----------------|
| Product Life Status : | Commercialised |
|-----------------------|----------------|