

Control cabinet - RTU READY 161408 - 1094594

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Prewired control cabinet with power supply, surge protective device, and circuit breaker for use with remote control and monitoring devices

RTU READY... 181610 version shown

Product Description

To simplify the selection and installation of wireless devices, Phoenix Contact offers the RTU READY... enclosure system to house radios, PLCs, or other control products. The prewired control cabinet provides a 24 V DC power supply and surge protection for line power and antenna connections, and terminal blocks for easy connectivity, all mounted on standard NS 35 mounting rail.

The selected components provide a robust housing with reliable power. Simply add a radio, antenna, or controller to complete the system.

Your advantages

- 24 V DC supply voltage
- 100 ... 240 V AC nominal input voltage range
- COAXTRAB surge protection for antenna connection
- Prewired cabinetry with extra terminal blocks for simple, flexible installation
- UL 508A Listed



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	1.000 g
Country of origin	United States

Technical data

Note

Trade restriction	The products are offered exclusively for export outside the EU and the European Economic Area.
-------------------	--

General data

Weight	0 g
--------	-----

Control cabinet - RTU READY 161408 - 1094594

Technical data

Ambient conditions

Ambient temperature (operation)	-25 °C ... 70 °C
---------------------------------	------------------

Standards and Regulations

Standards/regulations	UL 508A
-----------------------	---------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
	Cadmium oxide 1306-19-0

Articles in set

Power supply unit - UNO-PS/1AC/24DC/90W/C2LPS - 2902994



Primary-switched UNO POWER power supply for DIN rail mounting, input: 1-phase, output: 24 V DC/90 W

Control cabinet - RTU READY UPS 161408 - 1094596



Prewired control cabinet with power supply, battery backup, surge protective device, and circuit breaker for use with remote control and monitoring devices

Classifications

eCl@ss

eCl@ss 10.0.1	27142422
eCl@ss 11.0	27142422
eCl@ss 5.1	27371890
eCl@ss 7.0	27142422
eCl@ss 9.0	27142422

ETIM

ETIM 4.0	EC000816
ETIM 6.0	EC000268
ETIM 7.0	EC000268

